



Vlock

HARPY 3802

Beyond Security—Experience Smart Access



Fingerprint



CARD



PIN





Specification

Function	Description
Fingerprint scanner	Optical fingerprint head(DEG931 20pin)
ID card	Supported
Display	2.4" TFT LCD
Keyboard	16 physical keys
Communication method	Cable network (P2P optional)
USB HOST	Supported
Clock RTC	Supported
Voice output	Supported
Wiegand input port	Supported
Wiegand output port	Supported
Administrator delete button	Supported
Backup battery interface	Supported
Access control function (optional)	Professional access control (door opening relay, ringing relay, door magnetic switch, door opening button, Wiegand input and output)
Operating voltage	DC 9~12V
Operating temperature	-10°C~ +60°C
Operating humidity(RH)	20% ~ 80%

Software Function

Log capacity	1,000
Attendance Log capacity/Mgt. Log capacity	100,000/10,000
Identify mode	Fingerprint, card, pin and combinations
Language	Chinese, English and so on



Fingerprint Algorithm

Algorithm version	EBKNFinger V3.0
FAR/ FRR	0.00001/ 0.1(%)
Matching speed	Less than 0.8s (when 1000 fingerprint logged)
Contrast angle	360 degree free rotation
Intelligent update function	Supported
Fingerprint recognition mode	1:1, 1:N